PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 32 Contents, Author Index and
Subject Index 1993

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool, L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster, LA1 4YQ, U.K.

D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull, HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Production Editor

J. D. HOWATSON: Journals Production Dept., Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, U.K.

EDITORIAL BOARD—1993

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept. of Biochemistry, University College of Swansea, Singleton Fark, SA2 8PP, U.K.
E. E. Conn:	Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept. de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept. of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	Dept. of Biochemistry, University of Liverpool, Liverpool, L69 3BX, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czechoslovakia.
W. Herz:	Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept. of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 32, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Headington Hill Hall, Oxford, OX3 0BW, U.K. *Annual Institutional Subscription Rate* (1993): £895.00 (US$1432.00). Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1993). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan include despatch by air and are available on request. Personal subscription rate for those whose library subscribes at the regular rate is available upon request from any Pergamon Office. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Offices.

Second class postage paid at RAHWAY NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Copyright © 1993 Pergamon Press Ltd

CONTENTS OF VOLUME 32

Number 1

The Pergamon Phytochemistry Prize	ix	
Instructions to Authors—1993	1	
Obituary		
XORGE DOMÍNGUEZ 1920–1992	7	J. B. HARBORNE and T. D. ABULARACH
Growth and Metabolism		
Penetration and effects of glyphosate in isolated potato mitochondria	9	L. ARNAUD, P. RAVANEL, C. ANDING and M. TISSUT
Peroxidases in the cell walls of seeds and seedlings of *Araucaria araucana*	15	A. RIQUELME and L. CARDEMIL
Purification and characterization of the vanadium bromoperoxidase from the macroalga *Corallina officinalis*	21	D. J. SHEFFIELD, T. HARRY, A. J. SMITH and L. J. ROGERS
Mitochondrial hexokinase of avocado mesocarp	27	D. C. STEWART and L. COPELAND
Purification and characterization of two forms of cysteine synthase from *Allium tuberosum*	31	F. IKEGAMI, S. ITAGAKI and I. MURAKOSHI
Cell wall composition of calcium-treated apples inoculated with *Botrytis cinerea*	35	R. B. TOBIAS, W. S. CONWAY, C. E. SAMS, K. C. GROSS and B. D. WHITAKER
Influence of growth status on composition of extracellular polysaccharides from two *Chlamydomonas* species	41	B. ALLARD and A. TAZI
Epicuticular wax of olive leaves	49	G. BIANCHI, G. VLAHOV, C. ANGLANI and C. MURELLI
Enantiomeric compositions of monoterpene hydrocarbons in the wood of healthy and top-cut *Pinus sylvestris*	53	K. SJÖDIN, M. PERSSON and T. NORIN
Abscisic alcohol glucoside in quince	57	A. LUTZ and P. WINTERHALTER
Ecological Biochemistry		
Cucurbitacins, 'attack' enzymes and laccase in *Botrytis cinerea*	61	A. VITERBO, B. YAGEN and A. M. MAYER
Rocaglamide, a natural benzofuran insecticide from *Aglaia odorata*	67	J. JANPRASERT, C. SATASOOK, P. SUKUMALANAND, D. E. CHAMPAGNE, M. B. ISMAN, P. WIRIYACHITRA and G. H. N. TOWERS
Secondary metabolite chemistry of the Caribbean marine alga *Sporochnus bolleanus*: a basis for herbivore chemical defence	71	YA-CHING SHEN, P. I. TSAI, W. FENICAL and M. E. HAY
A pterocarpan, (+)-2-hydroxypisatin from *Pisum sativum*	77	A. KOBAYASHI, K. AKIYAMA and K. KAWAZU
Biosynthesis		
Formation of salutaridine from (*R*)-reticuline by a membrane-bound cytochrome P-450 enzyme from *Papaver somniferum*	79	R. GERARDY and M. H. ZENK
Acyltransferases for lupin alkaloids in *Lupinus hirsutus*	87	K. SAITO, H. SUZUKI, S. TAKAMATSU and I. MURAKOSHI
Potential inhibitors of trichothecene biosynthesis in *Fusarium culmorum*: epoxidation of a trichodiene derivative	93	A. R. HESKETH, L. GLEDHILL, B. W. BYCROFT, P. M. DEWICK and J. GILBERT

Revision of the stereochemistry in trichodiol, trichotriol and related compounds, and concerning their role in the biosynthesis of trichothecene mycotoxins — 105 — A. R. Hesketh, B. W. Bycroft, P. M. Dewick and J. Gilbert

Cell Culture and Biotechnology

Sesquiterpenes of cadinane type from cultured cells of the liverwort, *Heteroscyphus planus* — 117 — K. Nabeta, K. Katayama, S. Nakagawara and K. Katoh

Chemotaxonomy

Non-protein amino acids in seeds of neotropical species of *Acacia* — 123 — C. S. Evans, A. J. Shah, M. W. Adlard and M. Lourdes Rico Arce

Melampolides and *cis,cis*-germacranolides from *Lecocarpus lecocarpoides* — 127 — F. A. Macías, J. M. G. Molinillo and N. H. Fischer

Plant Chemistry

Five secoiridoid glucosides from *Fraxinus formosana* — 133 — T. Tanahashi, H. Watanabe, A. Itoh, N. Nagakura, K. Inoue, M. Ono, T. Fujita, M. Morita and Cheng-Chang Chen

Sesquiterpene derivatives and a norsesquiterpenoid from the liverworts *Riccardia crassa* and *Porella caespitans* var. *setigera* — 137 — M. Toyota and Y. Asakawa

Diterpenoids with the daphnane skeleton from *Wikstroemia retusa* — 141 — S. Yaga, K. Kinjo, H. Hayashi, N. Matsuo, F. Abe and T. Yamauchi

Inflexarabdonins I, J and K, *ent*-kaurenoids from *Rabdosia inflexa* — 145 — Y. Takeda, T. Ichihara, K. Yamasaki, H. Otsuka and H. Utsumi

Diterpene glycosides from *Senecio rufus* — 151 — Dong-Liang Cheng, Xiao-Ping Cao, Jie-Kai Cheng and E. Roeder

Triterpenoids from *Sanguisorba alpina* — 155 — Zhong-Jian Jia, Xiang-Qian Liu and Zi-Min Liu

Euphane triterpenoid from *Garuga pinnata* — 161 — G. Venkatraman, P. S. Thombare and B. K. Sabata

26-Nor-D:A-friedooleanane triterpenes from *Phyllanthus watsonii* — 165 — S. Matsunaga, R. Tanaka, Y. Takaoka, Y. In, T. Ishida, M. Rahmani and H. B. M. Ismail

A pregnane glycoside from the roots of *Mandevilla pentlandiana* — 171 — G. Cabrera, A. M. Seldes and E. G. Gros

Chromans, hericenones F, G and H from the mushroom *Hericium erinaceum* — 175 — H. Kawagishi, M. Ando, K. Shinba, H. Sakamoto, S. Yoshida, F. Ojima, Y. Ishiguro, N. Ukai and S. Furukawa

Myricetin 3,4′-diglucoside and kaempferol derivatives from needles of Norway spruce, *Picea abies* — 179 — R. Slimestad, W. Nerdal, G. W. Francis and Ø. M. Andersen

Prenylated flavonoids from *Tephrosia spinosa* — 183 — E. Venkata Rao and Y. Rajendra Prasad

Comparative analysis of pyrrolizidine alkaloids from natural sources by gas chromatography-mass spectrometry — 187 — L. Witte, P. Rubiolo, C. Bicchi and T. Hartmann

Short Reports

Metabolites of *Gliocladium flavofuscum* — 197 — A. G. Avent, J. R. Hanson and A. Truneh

Two aliphatic ketols from *Leucas aspera* — 199 — T. N. Misra, R. S. Singh, C. Prasad and S. Singh

Thymol derivatives from *Vieraea laevigata*	202	A. G. González, J. B. Barrera, J. T. Méndez, J. L. E. Martínez and M. L. Sánchez
Further sesquiterpene lactones of *Centaurea bella*	204	W. M. Daniewski and G. Nowak
Xanthanolides from *Xanthium strumarium*	206	M. S. Malik, N. K. Sangwan and K. S. Dhindsa
Diterpenoids from *Euphorbia micractina*	208	Jian-Gong Shi, Zhong-Jian Jia and Li Yang
A triterpenoid from *Lepetadenia pyrotechnica*	211	F. Noor, A. Ahmed, S. M. Imtiazuddin and B. Khan
1 - Tigloyl - 3 - acetyl - 11 - hydroxy - 4β - methylmeliacarpin from *Azadirachta indica*	213	S. R. Rojatkar and B. A. Nagasampagi
A quassinoid glucoside from the bark of *Castela tortuosa*	215	I. Kubo and S. K. Chaudhuri
Chalcone glycosides from *Bidens campylotheca*	218	K. Redl, B. Davis and R. Bauer
Stereochemistry of the spirobiflavonoid genkwanol B from *Daphne genkwa*	221	K. Baba, M. Taniguchi, H. Ohishi and M. Kozawa
Racemodine, a pyrrolizidine alkaloid from *Senecio racemosus*	224	W. Ahmed, A. Q. Khan, A. Malik, F. Ergun and B. Sener
Book Reviews		
Methods in Plant Biochemistry, Volume 6: Assays for Bioactivity: edited by K. Hostettmann	227	M. Cole
Pattern Formation in Plant Tissues: by T. S. V. I. Sachs, Developmental and Cell Biology Series: edited by P. W. Barlow, D. Bray, P. B. Green and J. M. W. Slack	227	P. Rudall
Plant Biochemical Regulators: edited by Harold W. Gausman	228	P. M. Dey
Bioformation of Flavours: edited by R. L. S. Patterson, B. V. Charlwood, G. MacLeod and A. A. Williams	229	J. B. Harborne

Number 2

Announcements	ix	
Growth and Metabolism		
Kaurenoids and gibberellins, including the newly characterized gibberellin A_{88}, in developing apple seeds	231	P. Hedden, G. V. Hoad, P. Gaskin, M. J. Lewis, J. R. Green, M. Furber and L. N. Mander
5′-Deoxy-5′-methylsulphinyladenosine, a platelet aggregation inhibitor from *Ganoderma lucidum*	239	H. Kawagishi, F. Fukuhara, M. Sazuka, A. Kawashima, T. Mitsubori and T. Tomita
Artocarpin–galactomannan interaction: characterization of combining site of artocarpin	243	S. Chowdhury and B. P. Chatterjee
Guttation fluid peroxidases from *Helianthus annuus*	251	M. L. Magwa, W. A. Lindner and J. M. Brand
Sub-cellular localization of fatty acid elongase in developing seeds of *Lunaria annua* and *Brassica napus*	255	H. V. Whitfield, D. J. Murphy and M. J. Hills
Potential use of substituted pyridazinones for selecting polyunsaturated fatty acid overproducing cell lines of algae	259	Z. Cohen, H. A. Norman and Y. M. Heimer

Lipid changes in microsomes and crude plastid fractions during storage of tomato fruits at chilling and nonchilling temperatures	265	B. D. WHITAKER
Ketoconazole-mediated growth inhibition in *Botrytis cinerea* and *Saccharomyces cerevisiae*	273	M. A. QUAIL, A. ARNOLDI, D. J. MOORE, M. W. GOOSEY and S. L. KELLY
γ-Radiation-stimulated formation of *ortho*-quinone from chlorogenic acid in *Xanthium occidentale*	281	M. SATÔ, A. HIRAOKA and T. SAKUMA
Ecological Biochemistry		
Biodegradation of the sulphated polysaccharide of *Porphyridium* by soil bacteria	287	S. (MALIS) ARAD, G. KERISTOVESKY, B. SIMON, Z. BARAK and S. GERESH
Intra- and extracellular lipids in cultures of the toxic dinoflagellate, *Gyrodinium aureolum*	291	C. C. PARRISH, G. BODENNEC, J.-L. SEBEDIO and P. GENTIEN
Insect growth inhibitory cardenolide glycosides from *Anodendron affine*	297	Y. FUKUYAMA, M. OCHI, H. KASAI and M. KODAMA
Ecdysteroids from *Vitex pinnata*	303	A. SUKSAMRARN and C. SOMMECHAI
Insecticidal 1*H*-cyclopentatetrahydro[*b*]benzofurans from *Aglaia odorata*	307	F. ISHIBASHI, C. SATASOOK, M. B. ISMAN and G. H. N. TOWERS
Biosynthesis		
Biosynthesis of furan fatty acids in *Saccharum* species is Ca^{2+}-dependent	311	A. BATNA and G. SPITELLER
Cell Culture and Biotechnology		
Phytoecdysteroid production by *Ajuga reptans* tissue cultures	317	J. TOMÁS, F. CAMPS, J. COLL, E. MELÉ and J. MESSEGUER
Alkaloid metabolism in *Tabernaemontana divaricata* cell suspension cultures	325	D. DAGNINO, J. SCHRIPSEMA and R. VERPOORTE
Chemotaxonomy		
Chemical differences between two populations of *Abies sachalinensis*	331	K. KAWAI, C. TAKAHASHI, T. MIYAMOTO, A. NUMATA, H. IWABUCHI and M. YOSHIKURA
Terpenoids of the liverwort *Frullanoides densifolia* and *Trocholejeunea sandvicensis*	335	M. TORI, H. ARBIYANTI, Z. TAIRA and Y. ASAKAWA
A new chemotype of *Scoparia dulcis*	349	T. HAYASHI, K. OKAMURA, Y. TAMADA, A. IIDA, T. FUJITA and N. MORITA
Plant Chemistry		
4(*S*)-(6-*O*-Caffeoyl-β-D-glucopyranosyl)-2-pentanone from young leaves of *Photinia glabra*	353	T. KAMIYAMA, N. WATANABE, K. SAKATA, A. YAGI and K. INA
Phenylbutenoid dimers from the rhizomes of *Zingiber cassumunar*	357	A. JITOE, T. MASUDA and N. NAKATANI
Arylbutanoid and diarylheptanoid glycosides from inner bark of *Betula pendula*	365	E. ŠMITE, L. N. LUNDGREN and R. ANDERSSON
Iridoids from *Tabebuia avellanedae*	371	K. NAKANO, K. MARUYAMA, K. MURAKAMI, Y. TAKAISHI and T. TOMIMATSU
Iridoid glycosides from *Nyctanthes arbor-tristis*	375	H. STUPPNER, E. P. MÜLLER, V. MATHURAM and A. B. KUNDU
Two sesquiterpenes from the seeds of *Celastrus angulatus*	379	LIU JIKAI, CHENG CHUNQUAN and WU DAGANG

Melampolides and germacranolides from *Blainvillea gayana*	383	A. Kijjoa, M. M. S. M. Bastos, T. E. Gedris and W. Herz
Sesquiterpenoids from *Rosa rugosa* leaves	387	Y. Hashidoko, S. Tahara and J. Mizutani
Annulide, a sesquiterpene lactone from *Artemisia annua*	391	G. D. Brown
Bisabolene derivatives and sesquiterpene lactones from *Cousinia* species	395	J. A. Marco, J. F. Sanz, R. Albiach, A. Rustaiyan and Z. Habibi
Δ^8 Labdanes from *Halimium verticillatum*	401	J. G. Urones, I. S. Marcos, R. F. Moro, J. M. L. Rodilla and A. G. Mendonça
Kamaladiol-3-acetate from the stem bark of *Mallotus philippinensis*	407	S. P. Nair and J. Madhusudana Rao
Triterpenes and flavonoids from *Combretum leprosum*	411	V. A. Facundo, C. H. S. Andrade, E. R. Silveira, R. Braz-Filho and C. D. Hufford
Triterpenoid saponins from *Ilex integra*	417	I. Yano, C. Nishiizumi, K. Yoshikawa and S. Arihara
Phenylethanoid and lignan-iridoid complex glycosides from roots of *Buddleja davidii*	421	A. Yamamoto, S. Nitta, T. Miyase, A. Ueno and Li-Jun Wu
Three dihydrophenanthropyrans from *Bletilla striata*	427	M. Yamaki, L. Bai, T. Kato, K. Inoue and S. Takagi
A methyl ester of melilotoside from the sapwood of *Prunus cornuta*	431	M. C. Purohit, M. S. M. Rawat, G. Pant, A. K. Nautiyal, J. Sakakibara and T. Kaiya
Stilbenes and other constituents of *Knema austrosiamensis*	433	M. J. T. G. Gonzaléz, M. M. M. Pinto, A. Kijjoa, C. Anantachoke and W. Herz
Two stilbenoids from the orchid *Arundina bambusifolia*	439	P. L. Majumder and S. Ghosal (née Chatterjee)
Lignans and neolignans from *Piper schmidtii*	445	O. D. Tyagi, S. Jensen, P. M. Boll, N. K. Sharma, K. S. Bisht and V. S. Parmar
Chemical and antiplatelet aggregative investigation of the leaves of *Clausena excavata*	449	Tian-Shung Wu, Shiow-Chyn Huang, Jeng-Shiow Lai, Che-Ming Teng, Feng-Nien Ko and Chang-Sheng Kuoh
Short Reports		
Iridoids from *Vitex cannabifolia*	453	T. Iwagawa, A. Nakahara and M. Nakatani
Isolation of cornoside from *Olea europaea* and its transformation into halleridone	455	A. Bianco, R. L. Scalzo and M. L. Scarpati
Polyesters of a sesquiterpene pentaol from *Celastrus angulatus*	458	Tu Yongqing, Huang Guosheng and Ma Yongxiang
Sesquiterpene lactones from *Artemisia* species	460	J. A. Marco, J. F. Sanz, F. Sancenon, A. Rustaiyan and M. Saberi
A diterpene from the marine alga *Glossophora kunthii*	463	R. de Nys, A. D. Wright, G. M. König and O. Sticher
Triterpenoids from the resin of *Shorea robusta*	466	R. K. Hota and M. Bapuji

3-Oxo-20*S*,24*R*-epoxy-dammarane-25ξ,26-diol from *Mangifera indica* 469 V. Anjaneyulu, J. Suresh Babu, M. Murali Krishna and J. D. Connolly

Lup-20(29)-en-3β,15α-diol and ocotillol-II from the stem bark of *Phyllanthus flexuosus* 472 R. Tanaka, K. Masuda and S. Matsunaga

Crustinic acid, a tridepside from *Umbilicaria crustulosa* 475 S. Huneck, A. Porzel, J. Schmidt, G. B. Feige and B. Posner

Phenylpropanoids and (−)-ledol from two *Piper* species 478 S. K. Koul, S. C. Taneja, S. Malhotra and K. L. Dhar

Two minor coumarins of *Boenninghausenia albiflora* 481 P. C. Joshi, S. Mandal (née Sarkar), P. C. Das and A. Chatterjee

Dehydro-6-hydroxyrotenoid and lupenone from *Tephrosia villosa* 484 A. Prashant and G. L. D. Krupadanam

A sesquiterpene evoninoate alkaloid from the root bark of *Celastrus angulatus* 487 Liu Jikai, Wu Dagang and Jia Zhongjian

Methyl chanofruticosinates from leaves of *Kopsia arborea* 489 Toh-Seok Kam, Poh-Suan Tan, Pek-Yuen Hoong and Cheng-Hock Chuah

Number 3

Foreword ix

Review Articles Numbers 72 and 73

Strictosidine: from alkaloid to enzyme to gene 493 T. M. Kutchan

Classification of oligomeric hydrolysable tannins and specificity of their occurrence in plants 507 T. Okuda, T. Yoshida and T. Hatano

Growth and Metabolism

Metabolism of the bisethyleneglycolesters of 2,4-D and MCPA in barley 523 G. Bärenwald, B. Schneider and H. R. Schütte

Binding of lunularic acid, hydrangeic acid and related compounds to the receptor for 1-*N*-naphthylphthalamic acid 527 G. F. Katekar, M. A. Venis and A. E. Geissler

Synthesis and auxin activity of substituted 5-phenylazo- and 5-styryl-1-naphthaleneacetic acids 533 E. W. Thomas, M. M. Casey and M. A. Venis

Cytosine glycosides from *Streptomyces griseochromogenes* 535 J. Guo and S. J. Gould

Affinity purification and characterization of a binding protein for a hepta-β-glucoside phytoalexin elicitor in soybean 543 T. Frey, E. G. Cosio and J. Ebel

The distribution of hydroxycinnamoylputrescines in different organs of *Solanum tuberosum* and other solanaceous species 551 G. Leubner-Metzger and N. Amrhein

Ozone induction and purification of spruce cinnamyl alcohol dehydrogenase 557 H. Galliano, W. Heller and H. Sandermann Jr

Purification and partial sequences of *Aralia cordata* cinnamyl alcohol dehydrogenase 565 T. Hibino, D. Shibata, T. Umezawa and T. Higuchi

Acetyl coenzyme A:digitoxin 15′-*O*-acetyltransferase from *Digitalis* plants and suspension cultures 569 R. Sutor, W. Kreis, H. Hoelz and E. Reinhard

Energetics of the uridine 5′-diphosphoglucose:hydroxycinnamic acid acyl-glucosyltransferase reaction 575 H.-P. Mock and D. Strack

Purification to homogeneity and characterization of homoserine kinase from wheat germ 581 J. Riesmeier, A.-K. Klonus and H.-D. Pohlenz

In situ localization of chalcone synthase in tannin-containing plants 585 B. Karwatzki, A. Herget, L. Beerhues and R. Wiermann

Evidence for the involvement of jasmonates and their octadecanoid precursors in the tendril coiling response of *Bryonia dioica* 591 E. W. Weiler, T. Albrecht, B. Groth, Zhi-Qiang Xia, M. Luxem, H. Liß, L. Andert and P. Spengler

Lignin, suberin, phenolic acids and tyramine in the suberized, wound-induced potato periderm 601 O. Borg-Olivier and B. Monties

Ecological Biochemistry

Independent elicitation of the oxidative burst and phytoalexin formation in cultured plant cells 607 D. Davis, J. Merida, L. Legendre, P. S. Low and P. Heinstein

Biosynthesis

Biosynthesis of axenomycin D: incorporation of ^{13}C-labelled precursors into the menadione chromophore, desoxysugars and the axenolide 613 V. Friese, A. Boos, H.-J. Bauch and E. Leistner

Monoterpene cyclization mechanisms and the use of natural abundance deuterium NMR—short cut or primrose path? 623 D. Arigoni, D. E. Cane, Jae Hoon Shim, R. Croteau and K. Wagschal

Intracellular localization of *p*-hydroxybenzoate geranyl-transferase, a key enzyme involved in shikonin biosynthesis 633 Y. Yamaga, K. Nakanishi, H. Fukui and M. Tabata

Biosynthesis of 1,2,3,6-tetra-*O*-galloyl-β-D-glucose 637 S. Hagenah and G. G. Gross

Formation of (−)-arctigenin in *Forsythia intermedia* 643 S. Ozawa, L. B. Davin and N. G. Lewis

Characterization of cytochrome P450-dependent isoflavone hydroxylases from chickpea 653 S. Clemens, W. Hinderer, U. Wittkampf and W. Barz

S-Adenosyl-L-methionine:scoulerine-9-*O*-methyltransferase from cultured *Coptis japonica* cells 659 F. Sato, N. Takeshita, J. H. Fitchen, H. Fujiwara and Y. Yamada

Purification and properties of 1-hydroxycanthin-6-one:*S*-adenosyl-L-methionine methyltransferase from *Ailanthus altissima* cell cultures 665 O. A. Osoba and M. F. Roberts

Partial purification of an *N*-methyltransferase involved in vindoline biosynthesis in *Catharanthus roseus* 673 M. Dethier and V. De Luca

Homospermidine synthase, the first pathway-specific enzyme in pyrrolizidine alkaloid biosynthesis 679 F. Böttcher, R.-D. Adolph and T. Hartmann

Synthesis of 1,3-dihydroxy-*N*-methylacridone and its conversion to rutacridone by cell-free extracts of *Ruta graveolens* cell cultures 691 W. Maier, A. Baumert, B. Schumann, H. Furukawa and D. Gröger

Cell Culture and Biotechnology

Diterpenoid production in hairy root cultures of *Salvia miltiorrhiza* 699 Zhi Bi Hu and A. W. Alfermann

2,3-Oxidosqualene-cycloartenol cyclase activity is not inhibited in elicitor-treated tobacco cultures 705 D. C. Fulton and D. R. Threlfall

Comparative study of lignins produced by the tea-plant and by tea-plant derived callus tissues 709 M. N. Zaprometov, N. V. Zagoskina and V. V. Elkin

Production of tropane alkaloids in genetically engineered root cultures — 713 — T. Hashimoto, Dae-Jin Yun and Y. Yamada

Alkaloids from *Agrobacterium rhizogenes*-transformed *Papaver somniferum* cultures — 719 — R. D. Williams and B. E. Ellis

Alkaloids from *Rauwolfia serpentina* cell cultures treated with ajmaline — 725 — S. Endreß, H. Takayama, S. Suda, M. Kitajima, N. Aimi, S. Sakai and J. Stöckigt

Chemotaxonomy

Six further lipophilic flavonols from the leaf of *Vellozia stipitata* — 731 — C. A. Williams, J. B. Harborne, J. Greenham, J. Eagles and K. R. Markham

Plant Chemistry

Carbocyclic nucleosides from a species of *Saccharothrix* — 737 — B. D. Bush, G. V. Fitchett, D. A. Gates and D. Langley

Sinapic acid esters from *Polygala virgata* — 741 — A. Bashir, M. Hamburger, J. D. Msonthi and K. Hostettmann

Phenolic, iridoid and ionyl glycosides from *Homalium ceylanicum* — 747 — O. A. Ekabo, N. R. Farnsworth, T. Santisuk and V. Reutrakul

Diterpenes from *Croton lechleri* — 755 — Y. Cai, Z. P. Chen and J. D. Phillipson

Four tetrahydroisoquinoline-monoterpene glucosides from *Cephaelis ipecacuanha* — 761 — N. Nagakura, A. Itoh and T. Tanahashi

3-*O*-Acetylbeiwutine from *Aconitum liaotungeuse* — 767 — Da-Yuan Zhu, Long-Ze Lin and G. A. Cordell

Number 4

Growth and Metabolism

Aluminium kinetics in the tea plant using ^{27}Al and ^{19}F NMR — 771 — T. Nagata, M. Hayatsu and N. Kosuge

Does chlorination modify the auxin-like activity of 1,2-benzisoxazole-3-acetic acid? — 777 — C. Branca, A. Ricci, A. Torelli, C. A. Maggiali, F. Ronchini and M. Bassi

Identification and synthesis of GA_{87}, a gibberellin from *Prunus avium* — 781 — P. S. Blake, G. Browning, A. W. L. Chu and L. N. Mander

Antisenescence properties of guazatine in osmotically stressed oat leaves — 785 — T. Capell, J. L. Campos and A. F. Tiburcio

Seasonal changes of isoperoxidases from poplar bark tissues — 789 — M. Baier, R. Goldberg, A. M. Catesson, C. Francesch and C. Rolando

Temperature, pH and UV irradiation effects on ascorbate oxidase — 795 — M. Maccarrone, G. D'Andrea, M. L. Salucci, L. Avigliano and A. Finazzi-Agrò

Hydrolytic specificity of the barley grain aspartic proteinase — 799 — J. Kervinen, P. Sarkkinen, N. Kalkkinen, L. Mikola and M. Saarma

Characterization of the fluorescent dansylamide complex with *Chlamydomonas reinhardtii* carbonic anhydrase — 805 — H. D. Husic and S. Hsieh

NADPD isotope effect on activity of emodin deoxygenase — 811 — J. A. Anderson and B.-K. Lin

Effects of bialaphos on sterility, glutamine synthetase and free amino acids of rice — 813 — A. Shimada, T. Nagai, H. Seto and Y. Kimura

Sex-attractants secreted from female gametes of Japanese brown algae of the genus *Scytosiphon* — 817 — K. Kodama, K. Matsui, A. Hatanaka and T. Kajiwara

Invertase–sucrose relationship in young and mature stem of sugarcane — 821 — S. Venkataramana and K. Mohan Naidu

Red light-mediated changes in inositol phospholipids and phosphatidylcholine in *Brassica* hypocotyls — 823 — S. Pal, M. K. Acharya and S. Guha-Mukherjee

Metabolism of allenic analogues of abscisic acid — 827 — B. V. Milborrow and S. R. Abrams

Biological response of the female strain *Achlya ambisexualis* 734 to dehydro-oogoniol and analogues — 833 — T. C. McMorris, D. O. Toft, S. Moon and W. Wang

Phenylpropanoid metabolism during growth and development of *Capsicum frutescens* fruits — 839 — N. Sukrasno and M. M. Yeoman

The chemical structure of extracellular lignin released by cultures of *Picea abies* — 845 — G. Brunow, I. Kilpeläinen, C. Lapierre, K. Lundquist, L. K. Simola and J. Lemmetyinen

Soybean flavonoid effects on and metabolism by *Phytophthora sojae* — 851 — L. I. Rivera-Vargas, A. F. Schmitthenner and T. L Graham

Ecological Biochemistry

Sucrose esters from *Nicotiana gossei* active against the greenhouse whitefly *Trialeuroides vaporariorum* — 859 — J. G. Buta, W. R. Lusby, J. W. Neal, Jr, R. M. Waters and G. W. Pittarelli

Identification of the phytotoxin mellein in culture fluids of *Phoma tracheiphila* — 865 — A. Parisi, M. Piattelli, C. Tringali and G. Magnano Di San Lio

Biosynthesis

Synthesis and properties of C-1-azido-ABA — 869 — R. D. Willows and B. V. Milborrow

An aliphatic polyaldehyde from *Botryococcus braunii* (A race) — 875 — P. Metzger, Y. Pouet, R. Bischoff and E. Casadevall

Schismoside, an iridoid glucoside from *Schismocarpus matudai* — 885 — S. Damtoft, S. R. Jensen and B. J. Nielsen

Biosynthesis of cryptoporic acids H and I in *Ganoderma neo-japonicum* — 891 — M. Hirotani, C. Ino and T. Furuya

Unusual methyl transfer in the biosynthesis of aporphine and protoberberine alkaloids — 897 — B. Schneider and M. H. Zenk

Incorporation of 1-^{13}C-acetate into tropane alkaloids by hairy root cultures of *Hyoscyamus albus* — 905 — M. Sauerwein, K. Shimomura and M. Wink

Cell Culture and Biotechnology

In vitro biosynthesis of monoterpenes by *Agrobacterium* transformed shoot cultures of two *Mentha* species — 911 — A. Spencer, J. D. Hamill and M. J. C. Rhodes

Tannin production in cell cultures of *Liquidambar styraciflua* — 921 — S. Neera, H. Arakawa and K. Ishimaru

Flavonoids from elicitor-treated cell suspension cultures of *Cephalocereus senilis* — 925 — Qin Liu, K. R. Markham, P. W. Paré, R. A. Dixon and T. J. Mabry

Flavanol production by *Fagopyrum esculentum* hairy and normal root cultures — 929 — F. Trotin, Y. Moumou and J. Vasseur

Chemotaxonomy

Different types of sulphur-containing amides from *Glycosmis* cf. *chlorosperma* — 933 — H. Greger, F. Hadacek, O. Hofer, G. Wurz and G. Zechner

Diterpenes from the timber of *Erythroxylum australe* — 937 — S. M. Ansell, K. H. Pegel and D. A. H. Taylor

Diterpenes from the timber of *Erythroxylum pictum* — 945 — S. M. Ansell, K. H. Pegel and D. A. H. Taylor

Diterpenes from the timber of 20 *Erythroxylum* species — 953 — S. M. Ansell, K. H. Pegel and D. A. H. Taylor

Secondary metabolites from Morocco brown algae of the genus *Cystoseira* — 961 — R. Valls, L. Piovetti, B. Banaigs and A. Praud

Phenolic composition of various tissues of Rutaceae species — 967 — K. Kanes, B. Tisserat, M. Berhow and C. Vandercook

Plant Chemistry

Phenylethanoid glycosides from *Plantago depressa* — 975 — S. Nishibe, M. Sasahara, Jiao Ying, Yuan Chang Lu and T. Tanaka

Phenylethanoids from *Linaria japonica* — 979 — H. Otsuka

A verbascoside iridoid glucoside conjugate from *Premna corymbosa* var. *obtusifolia* — 983 — H. Otsuka, E. Watanabe, K. Yuasa, C. Ogimi, A. Takushi and Y. Takeda

Sesquiterpenoids in *Nolana coelestis* — 987 — J. A. Garbarino, M. C. Chamy, M. P. Montagna and V. Gambaro

Diterpenes from a *Kaempferia* species — 991 — U. Prawat, P. Tuntiwachwuttikul, W. C. Taylor, L. M. Engelhardt, B. W. Skelton and A. H. White

Triterpenoids and their glycosides from *Terminalia chebula* — 999 — A. P. Kundu and S. B. Mahato

Symphytoxide A, a triterpenoid saponin from the roots of *Symphytum officinale* — 1003 — V. U. Ahmad, M. Noorwala, F. V. Mohammad, B. Sener, Anwar-ul-Hassan Gilani and K. Aftab

Quassinoids from *Quassia amara* — 1007 — P. Barbetti, G. Grandolini, G. Fardella and I. Chiappini

Meroterpenoids and naphthaquinones from *Kigelia pinnata* — 1015 — D. N. Akunyili and P. J. Houghton

Cardenolide diglycosides from *Oxystelma esculentum* — 1019 — S. Srivastava, M. P. Khare and A. Khare

Nemorosonol, a derivative of tricyclo-[4.3.1.$0^{3,7}$]-decane-7-hydroxy-2,9-dione from *Clusia nemorosa* — 1023 — S. Cerrini, D. Lamba, F. Delle Monache and R. Moura Pinherio

Equisetumpyrone, a styrylpyrone glucoside in gametophytes from *Equisetum arvense* — 1029 — M. Veit, H. Geiger, V. Wray, A. Abou-Mandour, W. Rozdzinski, L. Witte, D. Strack and F.-C. Czygan

Two polyphenol glycosides and tannins from *Rosa cymosa* — 1033 — T. Yoshida, Wei-Sheng Feng and T. Okuda

Phenolic constituents of *Pteridium esculentum* — 1037 — N. Tanaka, H. Yuhara, H. Wada, T. Murakami, R. C. Cambie and J. E. Braggins

Flavanoids and triterpenoids from *Cassine papillosa* and the absolute configuration of 11,11-dimethyl-1,3,8,10-tetrahydroxy-9-methoxypeltogynan — 1041 — S. E. Drewes and M. J. Mashimbye

Further flavonoid glycosides from *Calluna vulgaris* 1045 A. Simon, A. J. Chulia, M. Kaouadji, D. P. Allais and C. Delage

Pyrrolizidine alkaloids from *Senecio persoonii* 1051 E. Roeder, T. Bourauel and R. Kersten

Alkaloids from *Platycapnos spicata* 1055 O. M. Blanco, L. Castedo and M. C. Villaverde

Two steroidal alkaloids from *Buxus longifolia* 1059 Atta-ur-Rahman, F. Noor-e-Ain, R. Azhar Ali, M. I. Choudhary, A. Pervin, S. Turkoz and B. Sener

Short Reports

A bis-styryl ether from *Leucosyke quadrinervia* 1065 Ian-Lih Tsai, Wine-Show Sheen, Sian-Ling Liu, Shwu-Jen Wu and Ih-Sheng Chen

5-*O*-Allosylantirrinoside from *Linaria* species 1068 E. Ilieva, N. Handjieva, S. Spassov and S. Popov

Kingisidic acid and 8-*epi*-kingisidic acid from *Citronella gongonha* 1071 S. Damtoft, S. R. Jensen and J. Thorsen

Reassignment of structures of the neolignans, magnosalin and andamanicin 1073 R. N. Mahindru, S. C. Taneja, K. L. Dhar and R. T. Brown

Revised structure of a natural flavone from *Ageratum conyzoides* 1076 T. Horie, H. Tominaga and Y. Kawamura

A flavonol glycoside from *Agrimonia eupatoria* 1078 A. R. Bilia, E. Palme, A. Marsili, L. Pistelli and I. Morelli

Book Reviews

Chinese Drugs of Plant Origin—Chemistry, Pharmacology and use in Traditional and Modern Medicine: by W. Tang and G. Eisenbrand 1081 J. D. Phillipson

Pigment of the Imagination—A History of Phytochrome Research: by L. C. Sage 1082 J. B. Harborne

Number 5

Review Article Number 74

Distribution of resveratrol oligomers in plants 1083 S. Sotheeswaran and V. Pasupathy

Growth and Metabolism

Protein carboxyl methylation in the mushroom *Volvariella volvacea* 1093 A. K. Ghosh

A protein from *Ficus elastica* rubber particles is related to proteins from *Hevea brasiliensis* and *Parthenium argentatum* 1097 D. J. Siler and K. Cornish

Lipoxygenase activity during pepper ripening and processing of paprika 1103 M. I. Minguez-Mosquera, M. Jaren-Galan and J. Garrido-Fernandez

γ-Glutamyl hydrolase from pea cotyledons 1109 S. Lin, S. Rogiers and E. A. Cossins

A phenolsulphatase from the marine brown alga *Cystoseira tamariscifolia* 1119 W. Knöss and K.-W. Glombitza

In vitro metabolism of L-aspartate by maize kernels 1125 M. J. Muhitch

Effects of saline stress and calcium on lipid composition in bean roots 1131 P. Cachorro, A. Ortiz and A. Cerda

Molecular species of triacylglycerols from the freshwater diatom, *Phaeodactylum tricornutum*	1137	W. YONGMANITCHAI and O. P. WARD
Genetic analysis of the concentrations of pyrrolizidine alkaloids in *Senecio jacobaea*	1141	K. VRIELING, H. DE VOS and C. A. M. VAN WIJK
Ecological Biochemistry		
Zinniol-related phytotoxins from *Alternaria cichorii*	1145	A. STIERLE, J. HERSHENHORN and G. STROBEL
Iridoid glycoside uptake by *Castilleja integra* via root parasitism on *Penstemon teucrioides*	1151	F. R. STERMITZ, T. A. FODERARO and YONG-XIAN LI
Content of iridoid glycosides in different parts of *Castilleja integra*	1155	E. W. MEAD and F. R. STERMITZ
Halogenated sesquiterpenes pacifenol and pacifenol derivatives on the aphid *Schizaphis graminum*	1159	V. H. ARGANDOÑA, A. SAN-MARTÍN and J. ROVIROSA
Juvabione analogues from two *Abies sachalinensis* trees	1163	K. KAWAI, C. TAKAHASHI, T. TAKADA and A. NUMATA
Molluscicidal saponins from *Phytolacca dodecandra*	1167	S. T. THIILBORG, S. BRØGGER CHRISTENSEN, C. CORNETT, C. E. OLSEN and E. LEMMICH
Structure–activity relationships of synthetic methyl glycyrrhetate glycosides	1173	M. TAKECHI and Y. TANAKA
Indoloditerpenes related to tremorgenic mycotoxins, penitrems, from *Penicillium crustosum*	1177	T. YAMAGUCHI, K. NOZAWA, T. HOSOE, S. NAKAJIMA and K. KAWAI
Biosynthesis		
The obligatory role of phenyllactate in the biosynthesis of tropic acid	1183	M. ANSARIN and J. G. WOOLLEY
Cell Culture and Biotechnology		
The mechanistic pathway of the biotransformation of acetophenone by immobilized cell cultures of *Gardenia*	1189	Y. AKAKABE and Y. NAOSHIMA
Polyphenol production in cell cultures of *Cornus kousa*	1193	K. ISHIMARU, H. ARAKAWA and S. NEERA
Chemotaxonomy		
Identification of grape cultivars from their seed polypeptide composition	1199	O. LAMIKANRA
Fatty acids of green macrophytic algae from the Sea of Japan	1203	S. V. KHOTIMCHENKO
Plant Chemistry		
Purification and characterization of a galactose-specific lectin from *Psilocybe barrerae*	1209	E. HERNÁNDEZ, R. ORTIZ, F. LÓPEZ, F. MASSO, L. F. MONTAÑO, A. MARTINAGE and E. ZENTENO
Scalbidoside and albidoside, two iridoid glycosides from *Scutellaria albida* subsp. *colchica*	1213	İ. ÇALIŞ, T. ERSÖZ, İ. SARACOĞLU and O. STICHER
Longipinene derivatives from *Stevia origanoides*	1219	C. M. CERDA-GARCÍA-ROJAS, E. SÁNCHEZ-ARREOLA, P. JOSEPH-NATHAN, L. U. ROMÁN and J. D. HERNÁNDEZ
Viscidane diterpenes from *Eremophila* species	1225	P. G. FORSTER, E. L. GHISALBERTI and P. R. JEFFERIES
Three clerodane-diterpenoids from the liverwort *Schistochila nobilis*	1229	M. TORI, T. MASUYA and Y. ASAKAWA
Sesqui- and triterpenoids of the liverwort *Conocephalum japonicum*	1235	M. TOYOTA and Y. ASAKAWA

Triterpenes of *Poria cocos*	1239	T. Tai, A. Akahori and T. Shingu
Triterpenoids, tocotrienols and xanthones from the bark of *Cratoxylum cochinchinense*	1245	G. J. Bennett, L. J. Harrison, Guat-Lee Sia and Keng-Yeow Sim
Cardenolide glycosides from the roots of *Mandevilla pentlandiana*	1253	G. M. Cabrera, M. E. Deluca, A. M. Seldes, E. G. Gros, J. C. Oberti, J. Crockett and M. L. Gross
Terpenoids and sterols from the wood of *Abies pinsapo*	1261	A. F. Barrero, J. F. Sanchez, E. J. Alvarez Manzaneda, M. Muñoz Dorado and A. Haidour
Steroidal saponins from the bulbs of *Allium schubertii*	1267	K. Kawashima, Y. Mimaki and Y. Sashida
Bianthrones from *Senna longiracemosa*	1273	G. Alemayehu, B. Abegaz, G. Snatzke and H. Duddeck
Two cinnamic allenic ethers from the fungus *Clitocybe eucalyptorum*	1279	A. Arnone, R. Cardillo, G. Nasini and O. Vajna de Pava
Sinapic acid esters and a phenolic glycoside from *Cynanchum hancockianum*	1283	Hongxiang Lou, Xian Li, Tingru Zhu and Wen Li
Hydrolysable tannins from *Loropetalum chinense*	1287	T. Yoshida, S. Tanei, Yan-Ze Liu, Ke Yuan, Chun-Ru Ji and T. Okuda
Schisantherins L–O and acetylschisantherin L from *Kadsura coccinea*	1293	Jia-Sen Liu and Liang Li
Benzylated dihydrochalcones from *Uvaria leptocladon*	1297	M. H. H. Nkunya, H. Weenen, C. Renner, R. Waibel and H. Achenbach
Flavonoids from the twigs of *Eucryphia glutinosa*	1301	S. Sepulveda-Boza, S. Delhvi and B. K. Cassels
Further flavonoids from *Erythrina* species	1305	A. E. Nkengfack, J. Kouam, W. T. Vouffo, Z. Tanee Fomum, E. Dagne, O. Sterner, L. M. Browne and Gujun Ji
Oppositin and 5-*O*-methylhoslundin, pyrone-substituted flavonoids of *Hoslundia opposita*	1313	B. T. Ngadjui, J. F. Ayafor, B. L. Sondengam, J. D. Connolly, D. S. Rycroft and F. Tillequin
Isoflavonoid alkaloids from *Piscidia erythrina*	1317	M. Moriyama, S. Tahara, J. L. Ingham and J. Mizutani
Cyclopeptides from the roots of *Pseudostellaria heterophylla*	1327	Tan Ning-Hua, Zhou Jun, Chen Chang-xiang and Zhao Shou-xun
Benzylisoquinoline alkaloids and eudesmane sesquiterpenes from *Ocotea pulchella*	1331	C. Botega, F. M. Pagliosa, V. da S. Bolzani, M. Yoshida and O. R. Gottlieb
Pyrrolizidine *N*-oxide alkaloids of *Heliotropium hirsutissimum*	1335	T. Constantinidis, C. Harvala and A. L. Skaltsounis
Alkaloids from *Celastrus angulatus*	1339	Tu Yong-Qiang and Ma Yong-Xiang
Aspidofractinine alkaloids from a new *Kopsia* species	1343	Toh-Seok Kam, K. Yoganathan, Cheng-Hock Chuah and Chen Wei

Short Reports

Symmetric sesquiterpene dimer from *Chloranthus serratus* 1347 J. KAWABATA, E. FUKUSHI and J. MIZUTANI

Naphthoic acid derivative from *Valeriana wallichii* 1350 A. PANDE and Y. N. SHUKLA

Ocobullenone: a bicyclo[3.2.1]octanoid neolignan from *Ocotea bullata* 1352 B. M. SEHLAPELO, S. E. DREWES and P. SANDOR

Alkaloids from *Narcissus muñozii-garmendiæ* 1354 C. CODINA, J. BASTIDA, F. VILADOMAT, J. MARCOS FERNÁNDEZ, S. BERGOÑÓN, M. RUBIRALTA and J.-C. QUIRION

5-oxo-19,20-Dehydroervatamine from leaves of *Tabernaemontana corymbosa* 1357 TOH-SEOK KAM and KAH-YENG LOH

Book Reviews

Plant Toxin Analysis: edited by H. F. LINSKENS and J. F. JACKSON, Modern Methods of Plant Analysis, New Series 1359 J. B. HARBORNE

Biochemistry and Molecular Biology of Plant–Pathogen Interactions: edited by C. J. SMITH 1359 G. P. BOLWELL

Number 6

Announcement ix

Review Article Number 75

Insect allelochemicals from *Ajuga* plants 1361 F. CAMPS and J. COLL

Growth and Metabolism

Structure–activity relationships of raphanusanins and their analogues 1371 M. SAKODA, K. USUI, K. ISHIZUKA, N. HARADA, H. ONO, H. UDA and K. HASEGAWA

Uronic acid oxidase in orange fruit and other plant tissues 1375 R. PRESSEY

Activation of 1-aminocyclopropane-1-carboxylate oxidase by bicarbonate/carbon dioxide 1381 J. J. SMITH and P. JOHN

Rapid degradation of cucumber cotyledon lipoxygenase 1387 K. MATSUI, M. IRIE, T. KAJIWARA, T. KAKUNO and A. HATANAKA

A heat-labile serine proteinase from *Penicillium citrinum* 1393 N. YAMAMOTO, K. MATSUMOTO, Y. YAMAGATA, K.-I. HIRANO and E. ICHISHIMA

Pectin methylesterase in calli and germinating seeds of *Orobanche aegyptiaca* 1399 G. BEN-HOD, D. LOSNER, D. M. JOEL and A. M. MAYER

Acyl-thioesterase activity in developing seeds of cocoa 1403 G_1 GRIFFITHS, M. C. WALSH and J. L. HARWOOD

Effect of phosphonate on the composition of the mycelial wall of *Phytophthora capsici* 1407 PH. ROUHIER, M. BRUNETEAU, V. PIVOT, G. BOMPEIX and G. MICHEL

Changes in the lipid content of developing seeds of *Brassica napus* 1411 H. J. PERRY and J. L. HARWOOD

Effect of diurnal sampling on the headspace composition of detached *Nicotiana suaveolens* flowers 1417 J. H. LOUGHRIN, T. R. HAMILTON-KEMP, H. R. BURTON and R. A. ANDERSEN

Biotransformation of (+)-magnolin and (+)-yangabin in rat 1421 M. Miyazawa, H. Kasahara and H. Kameoka

Malonylation of anthocyanins by extracts of flower buds in *Dendranthema morifolium* cultivars 1425 I. Ino, H. Nishiyama and M. Yamaguchi

Ecological Biochemistry
Potential agrochemicals from leaves of *Wedelia biflora* 1427 D. H. Miles, V. Chittawong, P. A. Hedin and U. Kokpol

Janthitrems B and C, two principal indole-diterpenoids produced by *Penicillium janthinellum* 1431 J. Penn, R. Swift, L. J. Wigley, P. G. Mantle, J. N. Bilton and R. N. Sheppard

Biosynthesis
Biogenetic intermediates, (3*E* and 3*Z*, 12*Z*)-laurediols and (3*E* and 3*Z*)-12,13-dihydrolaurediols, isolated from *Laurencia nipponica* 1435 A. Fukuzawa, T. Honma, Y. Takasugi and A. Murai

Inhibition of shikonin biosynthesis by photodegradation products of FMN 1439 M. Tabata, K. Yazaki, Y. Nishikawa and F. Yoneda

O-Methylating enzymes of dopamine and dopamine derived tetrahydroisoquinoline, salsolinol 1443 K. Iwasa, M. Kamigauchi, K. Saiki, N. Takao and W. Wiegrebe

Cell Culture and Biotechnology
Volatile oils from normal and transformed root of *Artemisia absinthium* 1449 A. I. Kennedy, S. G. Deans, K. P. Svoboda, A. I. Gray and P. G. Waterman

Chemotaxonomy
Alkanes in lichens 1453 J. A. Zygadlo, M. L. Pignata, C. M. Gonzalez and A. Levin

Hydrolysable tannins based on a triterpenoid glycoside core, from *Castanopsis hystrix* 1457 H.-F. Chen, T. Tanaka, G.-I. Nonaka, T. Fujioka and K. Mihashi

Plant Chemistry
Bitter cyanoglucosides from *Lophira alata* 1461 A. Murakami, H. Ohigashi, S. Tanaka, M. Hirota, R. Irie, N. Takeda, A. Tatematsu and K. Koshimizu

bis-Tetrahydrofuran acetogenins from Annonaceae 1467 D. Cortes, B. Figadere and A. Cavé

Bioactive acetogenins from seeds of *Annona cherimolia* 1475 D. Cortes, S. H. Myint, B. Dupont and D. Davoust

Polyacetylenes and diterpenes from *Solidago canadensis* 1483 Tiansheng Lu, M. A. Menelaou, D. Vargas, F. R. Fronczek and N. H. Fischer

Iridoid glycosides from *Lathraea squamaria* 1489 B. Grabias, S. Ofterdinger-Daegel, L. Świątek and A. Kurowska

Eleganthol, a sesquiterpene from *Clitocybe elegans* 1493 A. Arnone, A. Colombo, G. Nasini and S. Valdo Meille

3,8-Ethers of lactarane sesquiterpenes 1499 W. M. Daniewski, M. Gumułka, E. Pankowska, K. Ptaszyńska, E. Błoszyk, U. Jacobsson and T. Norin

Sesquiterpene lactones from *Neolitsea villosa* 1503 Wen-Shyong Li and Chang-Yih Duh

Sesquiterpene lactones of *Mikania minima*	1509	M. DEL R. CUENCA, S. BORKOSKY, C. A. N. CATALÁN, V. L. GOEDKEN, J. G. DIÁZ and W. HERZ
Diterpene glucosides from *Viburnum suspensum*	1515	T. IWAGAWA, S. YAGUCHI, T. HASE, T. OKUBO and M. KIM
Cycloartane derivatives from *Guarea trichilioides*	1519	M. FURLAN, N. FRANCA ROQUE and W. WOLTER FILHO
Oleanene type triterpenes from *Plumeria rubra*	1523	N. AKHTAR and A. MALIK
A nortriterpenoid, triterpenoids and ecdysteroids from *Pfaffia glomerata*	1527	Y. SHIOBARA, S.-S. INOUE, K. KATO, Y. NISHIGUCHI, Y. OISHI, N. NISHIMOTO, F. DE OLIVEIRA, G. AKISUE, M. K. AKISUE and G. HASHIMOTO
^{1}H and ^{13}C NMR spectral assignments of some ene-quinone-methide nortriterpenoids	1531	Y. TEZUKA, T. KIKUCHI, H. C. FERNANDO and A. A. L. GUNATILAKA
Triterpenoid saponins from *Pterocephalus hookeri*	1535	JUN TIAN, FENG-E WU, MING-HUA QIU and RUI-LIN NIE
Two triterpenoid saponins from *Pterocephalus bretschneidri*	1539	JUN TIAN, FENG-E WU, MING-HUA QIU and RUI-LIN NIE
Macrophyllicin, a saponin from *Primula macrophylla*	1543	V. U. AHMAD, M. G. SHAH, F. V. MOHAMMAD and F. T. BAQAI
Steroids of Formosan *Ganoderma amboinense*	1549	CHUN-NAN LIN, SHIH-HSIEH KUO and SHEN-JEU WON
Phenylethanoid glycosides from *Osmanthus asiaticus*	1553	M. SUGIYAMA and M. KIKUCHI
Anti-oxidative and anti-inflammatory curcumin-related phenolics from rhizomes of *Curcuma domestica*	1557	T. MASUDA, A. JITOE, J. ISOBE, N. NAKATANI and S. YONEMORI
Cumulatin and tristin, two bibenzyl derivatives from the orchids *Dendrobium cumulatum* and *Bulbophyllum triste*	1561	P. L. MAJUMDER and S. PAL (NÉE RAY)
Lignans and a neolignan from *Virola oleifera* leaves	1567	A. M. A. P. FERNANDES, L. E. S. BARATA and P. H. FERRI
Neolignans and a phenylpropanoid glucoside from *Illicium difengpi*	1573	I. KOUNO, Y. YANAGIDA, S. SHIMONO, M. SHINTOMI, Y. ITO and CHUN-SHU YANG
Lignans from *Trachelospermum axillare*	1579	S. NISHIBE, T. FUJIMOTO, M. NOSE, T. TAKEDA, Y. OGIHARA and GUOJUN XU
An isopentenylated flavonol from *Hypericum japonicum*	1583	K. ISHIGURO, S. NAGATA, H. FUKUMOTO, M. YAMAKI, K. ISOI and Y. OYAMA
Oxindole alkaloids from *Neolaugeria resinosa*	1587	B. WENIGER, Y. JIANG, R. ANTON, J. BASTIDA, T. VAREA and J.-C. QUIRION
Two cyclopeptide alkaloids from *Zizyphus lotus*	1591	K. GHEDIRA, R. CHEMLI, B. RICHARD, J.-M. NUZILLARD, M. ZECHES and L. LE MEN-OLIVIER
The pyrrolizidine alkaloids of *Senecio syringifolius* and *S. hadiensis* from Kenya	1595	O. WERE, M. BENN and R. M. MUNAVU
(+)-13α-(4′-Hydroxytigloyloxy) lupanine from *Ormosia krugii*	1603	M. P. NASUTION and A. D. KINGHORN

(23*R*)-23-Hydroxysoladulcidine and related compounds from *Solanum panduraeforme*	1607	H. Ripperger and A. Porzel
Short Reports		
An *ent*-kaurenolide from *Stevia lucida*	1611	J. M. Amaro-Luis
The co-occurrence of 24-epi-castasterone and castasterone in seeds of *Ornithopus sativus*	1614	J. Schmidt, B. Spengler, T. Yokota and G. Adam
Alatinone, an anthraquinone from *Cassia alata*	1616	Hemlata and S. B. Kalidhar
Two pyran type glycosides from *Tunica prolifera*	1618	V. Plouvier, M.-T. Martin and J.-P. Brouard
Two phenethyl alcohol glycosides from *Scutellaria orientalis* subsp. *pinnatifida*	1621	İ. Çalış, İ. Saracoğlu, A. A. Başaran and O. Sticher
A bibenzyl xyloside from *Chlorophytum arundinaceum*	1624	M. Tandon and Y. N. Shukla
4′-*O*-Methylgallocatechin from *Panda oleosa*	1626	J. Garcia, T. Massoma, C. Morin, T. N. Mpondo and B. Nyassé
Apigenin 7-rhamnoside-4′-glucosylrhamnoside from *Asplenium normale*	1629	T. Iwashina, S. Matsumoto and Y. Yoshida
A flavonol with a tetrasubstituted B-ring from *Distemonanthus benthamianus*	1631	E. Malan
Erratum and Corrigenda	1633	

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.